




APPARECCHI PER
SABBIATURA E PALLINATURA
Strada Consorziale delle Foppe, 2
23848 OGGIONO (LC)
Tel. +39 0341 57.92.73
Fax +39 0341 57.58.64
info@cbsabbiatrici.com
www.cbsabbiatrici.com

ACCESSORI ACCESSOIRES ACCESORIES



A - Bombole abbatti condensa
Anti-condense bottle
Botella anticondensación

Art.	Lt.	Aria Lt./1'
B-7	7	2500
B-15	15	4000
B-24	24	8000



- B** - Tubi in gomma antiabrasiva
Antiabrasive rubber tubes
Tubos en goma antiabrasiva
- C** - Sistemi di idrosabbatura
Hydro sandblasting system
Sistema de hidroarenadora



- D** - Silenziatore scarico
Exit silencer
Silenciator descarga
- E** - Carrelli regolabili a scivolamento
Chute adjustable carriages
Vagonetas regulables adaptables

ACCESSORI ACCESSOIRES ACCESORIES



CB

Cappucci e casco di protezione

Covered and protective helmets

Capuchon y casco de proteccion

M 01



M 04



M 02



M 03





Ugelli venturi in carburo
di tungsteno
Venturi type nozzles by
tungsten carbide
Boquillas tipo venturi en
carburo de tungsteno



Raccordi rapidi
Quick unions
Racores rápidos



Porta ugello ed attacchi
tubo sabbia
Nozzle holder and
connections for sand tube
Portaboquillas y
conexiones para tubo arena



ACCESSORI ACCESSOIRES ACCESORIES



CB

Ugello con foro Venturi per grandi produzioni
Nozzle with Venturi aperture for heavy work
Boquilla tipo Venturi para gran rendimiento

CONSUMI / CONSUMPTION / CONSUMO

Diametro Apertura Agujero	Lunghezza Length Longitud	Montatura Assembly Montaje	Cod. Articolo Part.Number Cod. Art.	Consumo aria compressa in lt. min. Compressed air consumption L/min. Consumo aire comprimido en lt/min.		Consumo abrasivo in Kg./h. Abrasive consumption Kg./hr. Consumo abrasivo en Kg/h.		
				a 6 bar	a 7 bar	Sabbia silicea Silica Sand Arena silicea	Graniglia metalica Shot Granalla metalica	Coridone Corundum Corindón
8 mm	150 mm	Filettata all. Tread all. Brida	UG. 3	5000	5400	535	1350	625
10 mm	150 mm	.	UG. 3	6200	7000	700	1750	830
8 mm	150 mm	.	UG. 4	5000	5400	535	1350	625
10 mm	150 mm	.	UG. 4	6200	7000	700	1750	830

Ugello con foro Venturi per medie produzioni
Nozzle with Venturi aperture for average output
Boquilla tipo Venturi para media production

CONSUMI / CONSUMPTION / CONSUMO

Diametro Apertura Agujero	Lunghezza Length Longitud	Montatura Assembly Montaje	Cod. Articolo Part.Number Cod. Art.	Consumo aria compressa in lt. min. Compressed air consumption L/min. Consumo aire comprimido en lt/min.		Consumo abrasivo in Kg./h. Abrasive consumption Kg./hr. Consumo abrasivo en Kg/h.		
				a 6 bar	a 7 bar	Sabbia silicea Silica Sand Arena silicea	Graniglia metalica Shot Granalla metalica	Coridone Corundum Corindón
3 mm	70 mm	Flangiata all. Flanged all. Brida	UG. 1	470	550	55	140	85
4 mm	70 mm	.	UG. 1	850	950	95	230	110
5 mm	70 mm	.	UG. 1	1500	1800	150	370	175
6 mm	70 mm	.	UG. 1	2600	3000	300	700	355
7 mm	70 mm	.	UG. 1	4200	4600	470	1050	545
8 mm	70 mm	.	UG. 1	4800	5200	500	1200	600
9 mm	70 mm	.	UG. 1	5800	6600	590	1350	695
10 mm	70 mm	.	UG. 1	6500	7500	670	1550	780
5 mm	100 mm	.	UG. 2	2800	3200	300	700	355
7 mm	100 mm	.	UG. 2	4400	4800	470	1050	545
8 mm	100 mm	.	UG. 2	5200	5600	500	1200	600